

## Natural. Valued. Protected.

## Lake Fact Sheet - Parry Sound District

# Kapikog Lake

Location	
Official Name:Kapikog Lake	Local Names:
County/District: Parry Sound	Geographic Twp:Conger
Municipality:Township of the Archipelago	MNR Admin. Area: Parry Sound
Lat./Long:45.149 N 79.887 W	UTM (NAD83): 17 587163 5000583
Topographic Map (1:50,000):31E/04	Drainage Basin:Conger Creek

Physical Features		
Surface Area (ha):317	Maximum Depth (m):15	Mean Depth (m):5.6
Elevation (m asl):200	Perimeter (km):23.3	Island Shoreline (km):6.8
Volume (10 <sup>4</sup> m <sup>3:</sup> ):1774	Watershed (km²):12.3 (excludes area of lake)	Water Clarity (m):4.1

Land Use and Development		
Crown Land (%):15	Provincial Parks:Lower Moon River Conservation Reserve	
Shoreline Development:		
Access:	Public; Boat Launch, Kapikog Lake Road	
	Regulated; water level is controlled by MNR-owned on Healey LakeThe dam Is not operated	

Fish Species	
Major Fish Species:	Smallmouth Bass, Largemouth Bass, Black Crappie (I), Northern Pike
Other Fish Species:	
Other Species:	

Notes: E: extirpated, I: introduced – intentional or accidental, O: occasional, R: remnant, S: currently stocked, ?: status uncertain, 2009: year of first record or introduction if known, blank: presumed native

### Lake Fact Sheet - Parry Sound District

# Kapikog Lake

Fisheries Management	
Fisheries Management Zone:	15
Designation for Lake Trout Management:	
Fishing Regulation Exceptions	
Current Stocking:	None
Historic Stocking (last year stocked):	
Contaminants (species tested):	Largemouth Bass, Pumpkinseed, Brown Bullhead, Northern Pike

### Summary of Fisheries Studies / Reports:

#### MOE, 2015 Sport Fish Contaminant Monitoring Program

Several short-duration net sets caught 10 pike for contaminant testing. Reuslts will be published in MOE's Guide to Eating Sport Fish

#### Paus, M. 1984 Results of a Trapnet and Gill net Survey conducted on Kapikog Lake During 1983

- •C.U.E. was lower in 1983 than similar surveys conducted in 1982 and 1981.
- Age class compositions of smallmouth and largemouth bass for 1979 were strong and for 1981 were above average.
- •Largemouth Bass grow rapidly while the growth rates for smallmouth bass were slow and very slow for yellow perch.
- •The absence of bass over 6 years suggests both populations are heavily exploited by anglers.

## McIntyre, E. 1981 Pre-stocking Assessment and Transfers of Largemouth Bass in the Parry Sound District 1981

- •Kapikog Lake has a small population of largemouth bass
- Not suitable as a donor lake for bass transfer program

Updated: 2016

www.ontario.ca/mnr

Refer to Lake Fact Background Information document for explanation of content.

This information is supplied without expressed or implied warranty of any kind, including warranty of fitness for a particular purpose. In no event will the Ministry of Natural Resources be liable for any damages, whether incidental, consequential or direct in conjunction with, or arising from the furnishing or use of this information.

Parry Sound District office: (705) 746-4201 Bracebridge Area office: (705) 645-8747